

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	kun.in. near2 lie.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 10:11
S2	1	tahte.in. near2 shih.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 10:11
S4	207	455/426.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 10:14
S5	1	"4658096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 10:14
S6	961443	interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:06
S7	763711	((mobile or wireless or portable or cell or cellular or user or subscriber) near2 (station or phone or telephone or terminal or unit or device or equipment or apparatus)) or MT	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:06
S8	199640	((land\$line) or home or house) near2 (phone or telephone or station)) or POTS	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:08
S9	955	S6 with S7 with S8	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:08
S10	103	S6 near2 S7 near2 S8	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:22
S11	151	379/413.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:40
S12	1	"6741835".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/01 13:40
S13	8	("4658096" "5745851" "5812651" "5911123" "6078821" "6212377" "6278697" "6591114").PN. OR ("6741835").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 13:53
S14	1	"20050085262".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 13:53
S15	4	("20020072390" "20030144030" "6741852" "20020102974").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 14:28
S16	7	("6498938" "6704580" "6073010" "6535743" "6304565" "6633628" "20010018326").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 14:29

S17	21	("5499287" "5689549" "5715296" "5774793" "5881139" "5933774" "5995594" "6038451" "6044267" "6073031" "6088598" "6163702" "6185194" "6192236" "6208724" "6240297" "6243574" "6308070" "6327479" "6343220" "6556826").PN. OR ("6704580").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 15:10
S18	1	"20020151329".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/01 15:10
S19	763711	((mobile or wireless or portable or cell or cellular or user or subscriber) near2 (station or phone or telephone or terminal or unit or device or equipment or apparatus)) or MT	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:14
S20	199640	((land\$line) or home or house) near2 (phone or telephone or station)) or POTS	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:14
S21	5056	docking near2 station	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:24
S22	35	S19 with S20 with S21	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:24
S23	961443	interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S24	955	S23 with S19 with S20	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S25	105062	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S26	223	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S27	214	S26 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S28	103	S23 near2 S19 near2 S20	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S29	179	S27 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 08:29
S30	19	("3912875" "4122304" "4718080" "4922517" "5117450" "5131029" "5153904" "5157719" "5247565" "5402481" "5430790" "5509056" "5535260" "5594782" "5722087" "5722088" "5963875" "6021335" "6138038").PN. OR ("6654619").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 08:42
S31	72885	"379"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 08:42

S32	208	S24 and S31	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 08:43
S36	1	"4658096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 09:11
S37	159	("3711647" "3912875" "4012596" "4071711" "4291197" "4369516" "4555592" "4562307" "4568800" "4574164").PN. OR ("4658096").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 09:28
S40	2	power with outlet with ("11" near2 volt near2 dc)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 10:01
S43	103	ring near tone near generator	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 10:03
S47	21	S43 with (volt or voltage or dc)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 13:03
S48	55	impedance near2 variation near2 detector	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 13:15
S49	112	resistance near2 variation near2 detector	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 13:15
S50	31758	high near2 pass near2 filter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 13:15
S51	25	S50 same (attenuat\$4 near2 voice)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 14:12
S52	3	(attenuat\$4 near2 voice) and (regulat\$4 near2 current) and relay	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 13:30
S53	443	capacitor with remov\$4 with high with frequenc\$4 with noise	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 14:12
S54	11	capacitor with remov\$4 with noise with background	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 14:13
S55	17	"455"/\$.ccls. and S53	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 14:17
S56	382	diode with regulat\$4 with current with direction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 14:17
S57	6	"455"/\$.ccls. and S56	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/02 14:17